

**EMERGENCY CONTACTS**


Telephone: + 44 (0) 01443 878010

**Section 1. Preparation and Company Identification**

Product Name ..... **Universal No-Tape SP 303 EU**  
 Synonyms ..... B Resin  
 CAS Number ..... Mixture

**AZON (UK) LTD.**  
 Unit J  
 St David's Industrial Estate  
 Pengam  
 Blackwood  
 NP12 3SW

**Section 2. Hazards Identification**

CLP CLASSIFICATION	CLP LABELLING	Specific Concentration Limits; M-factors
<p><b>Hazard Class and Category Code(s)</b>            Acute Toxicity, Oral, Category 4            Acute Toxicity, Dermal, Category 4            STOT RE, Category 2            Eye Irritant, Category 2            Aquatic Chronic, Category 3</p> <p><b>Hazard Statement Code(s)</b>            H302 Harmful if swallowed.            H302 Harmful if swallowed            H312 Harmful in contact with skin            H373 May cause damage to organs through prolonged or repeated exposure            H319 Causes serious eye irritation            H412 Harmful to aquatic life with long lasting effects.</p>	<p><b>Pictograms; Signal Word Code(s)</b>            GHS07; Warning</p> 	<p><b>NONE</b></p>
<p>P260 Do not breathe dust/fume/gas/mist/vapours/spray            P261 Avoid breathing dust/fume/gas/mist/vapours/spray            P264 Wash ... thoroughly after handling            P270 Do not eat, drink or smoke when using this product            P271 Use only outdoors or in a well-ventilated area            P273 Avoid release to the environment            P280 Wear protective gloves/protective clothing/eye protection/face protection.            P314 Get Medical advice/attention if you feel unwell            P330 Rinse mouth            P332 If skin irritation occurs            P363 Wash contaminated clothing before reuse            P391 Collect spillage            P501 Dispose of contents/container to ...            P301 +P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell            P302 +P352 IF ON SKIN: Wash with plenty of soap and water.            P304 +P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing            P305 +P351 +P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.            P337 + P313 If eye irritation persists: get medical advice/attention</p>		

**Section 3. Composition / Information on Ingredients****INGREDIENTS**

Ingredient Name	CAS Number	Concentration
Ethylene Glycol	107-21-1	<3%
Diethylmethybenzenediamine	68479-98-1	<6%
Di ethylene glycol	111-46-6	<15%

**Section 4. First Aid Measures**

First Aid For Eyes- Flush with copious amount of water, preferably lukewarm for at least 15 minutes, holding eyelids open all the time.

First Aid For Skin- Remove contaminated clothing. Wash affected skin thoroughly with soap and water. Wash contaminated clothing thoroughly before reuse.

First Aid For Inhalation- Move to an area free from risk of further exposure.

First Aid For Ingestion- Immediately drink water to dilute. Induce vomiting. Consult physician if symptoms develop. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

**Section 5. Fire Fighting Measures**

Flash Point- 131 °C TAG Closed Cup.

Extinguishing Media- Dry Chemical; Carbon Dioxide; Water spray for large fires.

Special Fire Fighting Instructions- Use water to cool containers. Full emergency equipment with self-contained breathing apparatus and full protective clothing should be worn by firefighters.

**Section 6. Accidental Release Measures**

Spills Or Leaks Measures- Product is slightly soluble in water. Dike spill area. Absorb with clay, sand, or other commercial absorbant for disposal.

**Section 7. Handling and Storage**

Storage Temperature- 18 °C / 30 °C; Do not exceed 49 °C.

Special Sensitivity- Opened containers should be protected with a dry air or nitrogen padding. A drierite or silica gel drying system on the vents can also be used.

**Section 8. Exposure Controls**

Eye Protection Requirements- Safety glasses with sideshields.

Skin Protection Requirement- Not normally required. Chemical resistant gloves recommended.

Ventilation Requirements- Local exhaust ventilation is recommended if vapors, mists, or aerosols are generated. Otherwise, use general exhaust ventilation.

Respirator Requirements- Not normally required.

**Section 9. Physical and Chemical Properties**

PHYSICAL FORM..... Liquid  
COLOR ..... Dark purple to black  
ODOR ..... Slight  
BOILING POINT ..... 240 °C  
SOLUBILITY IN WATER..... Slightly soluble  
BULK DENSITY ..... 8.96 lbs/gal  
VAPOR PRESSURE..... <1 m/bar @ 20 °C; 6 m/bar @ 50 °C

**Section 10. Stability and Reactivity**

Stability- This is a stable material.

Hazardous Polymerization- Will not occur.

Incompatibilities- Strong oxidizers, strong alkalis.

Decomposition Product- Carbon monoxide, carbon dioxide, nitrogen oxides.

**Section 11. Toxicological Information**

No data is available at this time.

**Section 12. Ecological Information**

Do not allow material to escape into waters, wastewater or soil.

**Section 13. Disposal Considerations**

This material it should be disposed of in accordance with local and national regulations. Incineration is the preferred method.

**Section 14. Transportation Information**

Not regulated for transportation

**Section 15. Regulatory Information**

Classification and labelling according Regulation on Classification, Labelling and Packaging of Substances and Mixtures (CLP Regulation).

**Section 16. Other Information**

Reason for issue .....Updated Regulatory Information

Prepared by .....Steve Beck

Approval date .....27-6-2014

**WARRANTY** The information contained in this document is to assist customers in determining whether our products are suitable for their applications. Our products are intended for sale to industrial and commercial customers. The customer must inspect and test our products before use, and satisfy themselves as to the contents and suitability. Nothing herein shall constitute a warranty, expressed or implied, including any warranty of merchantability or fitness, nor is protection from any law or patent to be inferred. All patent rights are reserved. The exclusive remedy for all proven claims is replacement of our materials, and in no event shall we be liable for special, incidental, or consequential damages.