



Safety Data Sheet
Hazardous Substances (Hazard Classification) Notice 2020
Prepared to GHS Rev 7

Date of issue: 04.30.2022

Page: 1/12

Trade name: SU 207-12T 7203S

SECTION 1: Product and company identification
--

Product identifier:

Product Name: SU 207-12T 7203S

Other means of identification:

Product Code Number: None known

Recommended use of the chemical and restrictions on use:

Recommended use: Thermal Barrier Polymer Part "B"

Recommended restrictions: Uses other than as recommended above.

Details of manufacture or importer:

Manufacturer: Azon
Company Address: 2204 Ravine Road,
Kalamazoo 49004, MI, USA
Company Telephone: 269-385-5942

ASIA OFFICE: Azon Asia Inc.
168 Joongwon Ind Rd. Judeok
Chungju, South Korea, CB 27459 KOR

Importer: Altus NZ Ltd
Pukete Industrial Estate
53-69 Maui Street
Terapa Hamilton NZ2001 NZL

Emergency phone number: CHEMTREC
NZ 0800 425 459 (24/7)
NZ Local +64 9-801 0034
US 1-800-424-9300 (24/7)
INT: +1-703-527-3887 (24/7)

SECTION 2: Hazard(s) identification
--

Classification of the hazardous chemical:

Skin Irritation - Category 2
Skin Sensitization – Category 1
Eye Irritation - Category 2
Respiratory Sensitization – Category 1
Carcinogenicity – Category 2
Specific Target Organ Toxicity - Single Exposure - Category 2
Terrestrial Vertebrate Ecotoxicity - Category 3

Label elements, including precautionary statements:

GHS Signal word: DANGER.

GHS Hazard statement(s): H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H351 - Suspected of causing cancer
H371 - May cause damage to organs (Oral, Kidneys)
H433 - Harmful to terrestrial vertebrates.

GHS Hazard symbol(s):



GHS Precautionary statement(s):

- P201 - Obtain special instructions before use.
- P202 - Do not handle until all safety precautions have been read and understood.
- P260 – Do not breathe dust/fume/gas/mist/ vapours/spray
- P264 - Wash thoroughly after handling
- P270 - Do not eat, drink or smoke when using this product.
- P272 - Contaminated work clothing should not be allowed out of the workplace
- P280 - Wear protective gloves / protective clothing / eye protection / face protection.
- P284 - [In case of inadequate ventilation] wear respiratory protection.

Response:

- P302+P352 - IF ON SKIN: Wash with plenty of water
- P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308 + P313 - IF exposed or concerned: Get medical advice/attention.
- P321 - Specific treatment (see sections 4 to 8 on this SDS and any further information on the label).
- P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 - If eye irritation persists: Get medical advice/attention
- P342+P311 - If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
- P362+P364 - Take off contaminated clothing and wash it before reuse.

Storage:

- P405 - Store locked up.

Disposal:

- P501 - Dispose of contents/container to an approved disposal site in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification:

None known.

SECTION 3: Composition and information on ingredients

Mixture:

Chemical name	CAS#	Concentration (weight %)
Glycerol, propoxylated	25791-96-2	10 – 20%
Diethylene Glycol-phthalic Anhydride Polymer	32472-85-8	10 – 20%
Diethylene glycol	111-46-6	10 – 20%
Dipropylene Glycol	25265-71-8	5 – 10%
Ethylene Glycol	107-21-1	1 – 5%
2,4'- Diphenyl Diisocyanate	5873-54-1	1 – 5%
2,2'-Diphenylmethane Diisocyanate	2536-05-2	1 – 5%
4,4'-Diphenylmethane Diisocyanate	101-68-8	< 1%

The balance of the ingredients is not classified as hazardous or are below the concentration limit to be classified as hazardous, under the criteria of Hazardous Substances (Hazard Classification) Notice 2020.

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret due to the proprietary nature of some of the components.

SECTION 4: First-aid measures

Description of necessary first aid measures:

Inhalation: Remove to fresh air. Perform artificial respiration if breathing has stopped. When breathing is difficult, properly trained personnel may administer oxygen. Keep affected person warm and at rest. Obtain medical attention

Skin contact: Wash with plenty of water. Remove contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.

Eye contact: In case of eye contact, remove contact lenses and rinse immediately with plenty of water, including under the eyelids, for at least 15 mins. Get medical attention.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Obtain medical attention immediately.

Symptoms caused by exposure: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. May cause damage to the kidneys when swallowed.

Medical attention and special treatment: If any symptoms are observed, contact a physician and give them this SDS sheet.

SECTION 5: Fire-fighting measures

Suitable extinguishing equipment: Not combustible. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide as suitable for surrounding materials.

Unsuitable extinguishing media: Do not use direct streams of water.

Specific hazards arising from the chemical:

Not expected to be flammable.

Hazardous combustion products include CO (Carbon Monoxide), CO₂ (Carbon Dioxide), toxic and irritating gases.

Special protective equipment and precautions for fire fighters:

Avoid breathing irritating and potentially toxic fumes. Fire-fighters should wear self-contained breathing apparatus and protective clothing. Fight fire from a protected location. In addition, wear other appropriate protective equipment as conditions warrant (see Section 8). Equipment should be decontaminated after use.

HAZCHEM Code:

Not applicable. Not hazardous for transport.

SECTION 6: Spillage, accidental release measures

Personal precautions, protective equipment and emergency procedures:

Protect people. Isolate area to prevent exposure to chemicals. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Avoid contact with skin and eyes. Stop leak if it can be done safely. Wash exposed body areas thoroughly after handling. Wear appropriate protective equipment, such as gloves, goggles and protective clothing, as conditions warrant (see Section 8). See Sections 2 and 7 for additional information on hazards and precautionary measures.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up:

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

Precautions for safe handling: Avoid breathing vapours, mist, dust or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep out of the reach of children. Keep away from food and drinks. Wear appropriate protective equipment, such as gloves, goggles and protective clothing, as conditions warrant (see Section 8). See Sections 2 and 7 for additional information on hazards and precautionary measures.

Conditions for safe storage, including any incompatibles: Keep product in a dry, cool place. Keep away from incompatible materials (see Section 10) and food / feedstuffs. Protect container(s) against physical damage, heat and moisture. Do not allow material to contaminate ground water system. Prevent product from entering drains.

SECTION 8: Exposure controls and personal protection

Control parameters – exposure standards, biological monitoring

Substance	New Zealand - Workplace Exposure Limits	
	TWA (8 hour)	STEL (15 min)
Glycerol, propoxylated	None known	None known
Diethylene Glycol-phthalic Anhydride Polymer	None known	None known
Diethylene glycol	23 ppm TWA 101 mg/m ³ TWA	None known
Dipropylene Glycol	None known	None known
Ethylene Glycol	50 ppm Ceiling (mist and vapour); 127 mg/m ³ Ceiling (mist and vapour)	None known
2,4'- Diphenyl Diisocyanate	None known	None known
2,2'-Diphenylmethane Diisocyanate	None known	None known
4,4'-Diphenylmethane Diisocyanate	0.02 mg/m ³	0.07 mg/m ³

Appropriate engineering controls: Provide general or local exhaust ventilation systems to maintain airborne concentrations below the exposure limits. Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

Personal protective equipment (PPE):

Eye and face protection: Wear safety glasses with side shields. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166.

Skin protection: Handle with chemical resistant gloves such as nitrile rubber. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Wear impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as CEN (EU).

Thermal hazards: None known.

SECTION 9: Physical and chemical properties

Appearance:	Clear
Physical state:	Liquid
Colour:	Purple to Black
Odour:	Slight
Odour threshold:	Not available
pH:	Not available
Melting point/freezing point:	Not available
Boiling point and boiling range:	Not available
Flash point:	>93.3°C (>199.9°F) (closed cup)
Evaporation rate:	Not available
Flammability:	Not applicable
Upper/lower flammability or explosive limits	
Flammability limit – lower (%):	Not available
Flammability limit – upper (%):	Not available
Explosive limit – lower (%):	Not available
Explosive limit – upper (%):	Not available
Vapour pressure:	Not available
Vapour density:	Not available
Relative density:	Not available
Solubility:	Not available
Partition coefficient: n-octanol/water:	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available

Viscosity: Not available

SECTION 10: Stability and reactivity

Reactivity: Not expected to be reactive
Chemical stability: Material is stable under normal conditions.
Conditions to avoid: Exposure to moisture.
Incompatible materials and possible hazardous reactions: Avoid contact with strong oxidizing agents.
Hazardous decomposition products: If involved in a fire, CO (Carbon Monoxide), CO2 (Carbon Dioxide), toxic and irritating gases may be generated.

SECTION 11: Toxicological information

Information on routes of exposure:

Inhalation: Expected to be a route of entry.
Ingestion: Expected to be a route of entry.
Skin: Expected to be a route of entry.
Eyes: Expected to be a route of entry.
Target Organs: Kidneys, skin, eyes. respiratory system, lungs

Symptoms related to exposure:

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. May cause damage to the kidneys when swallowed.

Numerical measures of toxicity:

Acute toxicity:

Substance	Test Type (species)	Value
Glycerol, propoxylated	LD ₅₀ Oral (Rat)	> 2000 mg/kg
	LD ₅₀ Dermal (Rabbit)	> 2000 mg/kg
	LC ₅₀ Inhalation (Rat)	No data available
Diethylene Glycol-phthalic Anhydride Polymer	LD ₅₀ Oral (Rat)	No data available
	LD ₅₀ Dermal (Rabbit)	> 2000 mg/kg
	LC ₅₀ Inhalation (Rat)	No data available
Diethylene glycol	LD ₅₀ Oral (Rat)	12565 mg/kg
	LD ₅₀ Dermal (Rabbit)	11890 mg/kg
	LC ₅₀ Inhalation (Rat)	> 4600 mg/m ³ 4h

Dipropylene Glycol	LD ₅₀ Oral (Rat)	14850 mg/kg
	LD ₅₀ Dermal (Rabbit)	> 5010 mg/kg
	LC ₅₀ Inhalation (Rat)	> 2.34 mg/L 4h
Ethylene Glycol	LD ₅₀ Oral (Rat)	4700 mg/kg
	LD ₅₀ Dermal (Rabbit)	10600 mg/kg
	LC ₅₀ Inhalation (Rat)	> 2.5 mg/L 6h
2,4'- Diphenyl Diisocyanate	LD ₅₀ Oral (Rat)	> 2000 mg/kg
	LD ₅₀ Dermal (Rabbit)	> 9400 mg/kg
	LC ₅₀ Inhalation (Rat)	387.46 mg/m ³
2,2'-Diphenylmethane Diisocyanate	LD ₅₀ Oral (Rat)	> 2000 mg/kg
	LD ₅₀ Dermal (Rabbit)	> 9400 mg/kg
	LC ₅₀ Inhalation (Rat)	685.75 mg/m ³
4,4'-Diphenylmethane Diisocyanate	LD ₅₀ Oral (Rat)	31600 mg/kg
	LD ₅₀ Dermal (Rabbit)	> 10000 mg/kg
	LC ₅₀ Inhalation (Rat)	367.95 mg/m ³ 4h

- Skin corrosion/irritation:** Causes skin irritation.
- Serious eye damage/irritation:** Contact with eyes may cause serious eye irritation.
- Respiratory or skin sensitization:** May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction
- Germ cell mutagenicity:** Not expected to cause germ cell mutagenicity.
- Carcinogenicity:** Suspected of causing cancer.
- Reproductive toxicity:** Not expected to cause reproductive toxicity.
- Specific target organ toxicity (STOT) - Single exposure:** May cause damage to the kidneys when swallowed after a single exposure.
- Specific target organ toxicity (STOT) - Repeat exposure:** Not expected to cause Specific target organ toxicity after repeated exposure.
- Aspiration hazard:** Not expected to be an aspiration hazard.

Immediate, delayed and chronic health effects from exposure:
 Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. May cause damage to the kidneys when swallowed.

SECTION 12: Ecological information

Ecotoxicity: Harmful to terrestrial vertebrates

Substance	Test Type	Species	Value
Glycerol, propoxylated	LC ₅₀	Fish	No data available
	EC ₅₀	Daphnia magna	No data available
	EC ₅₀	Algae	No data available
Diethylene Glycol-phthalic Anhydride Polymer	LC ₅₀	Fish	No data available
	EC ₅₀	Daphnia magna	No data available
	EC ₅₀	Algae	No data available
Diethylene glycol	LC ₅₀	Fish - Pimephales promelas	75200magna mg/l - 96h
	LC ₅₀	Daphnia magna– water flea	84000 mg/l - 48 h
	EC ₅₀	Algae	No data available
Dipropylene Glycol	LC ₅₀	Fish Carassius auratus	> 5000 mg/L 24h
	EC ₅₀	Daphnia magna	> 100 mg/l 48h
	EC ₅₀	Algae Desmodesmus subspicatus	> 100 mg/l 72h
Ethylene Glycol	LC ₅₀	Fish Poecilia reticulata	16000 mg/L 96h
	EC ₅₀	Daphnia magna	46300 mg/L 48h
	EC ₅₀	Algae Pseudokirchneriella subcapitata	6500 - 13000 mg/L 96h
2,4'- Diphenyl Diisocyanate	LC ₅₀	Fish	> 100 mg/L 96h
	EL ₅₀	Daphnia magna	3.7 mg/L 48h
	EC ₅₀	Algae	> 100 mg/L 72h
2,2'- Diphenylmethane Diisocyanate	LC ₅₀	Fish	> 100 mg/L 96h
	EC ₅₀	Daphnia magna	3.7 mg/L 48h
	EC ₅₀	Algae	> 100 mg/L 72h
4,4'- Diphenylmethane Diisocyanate	LC ₅₀	Fish	No data available
	EC ₅₀	Daphnia magna	No data available
	EC ₅₀	Algae	No data available

Persistence and Degradability: Not established.

Bioaccumulative Potential: Not established.

Mobility in Soil: Not established.

Other adverse effects: Harmful to terrestrial vertebrates.

SECTION 13: Disposal considerations

Safe handling and disposal methods:

Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable national and local regulations.

Disposal of any contaminated packaging:

Contaminated packaging may contain residues of product. Dispose of in the same manner as product. Comply with applicable local, national or international regulations concerning solid or hazardous waste disposal and/or container disposal.

SECTION 14: Transport Information

Dangerous Goods 2005 (Rule 45001/1) incorporating the UN Recommendations on the Transport of Dangerous Goods – Model Regulations:

UN Number: Not classified as hazardous for transport
Proper shipping name or
Technical Name: Not applicable
Transport hazard class: Not applicable
Packing group: Not applicable

IMDG (Transport by sea)

UN Number: Not classified as hazardous for transport
Proper shipping name or
Technical Name: Not applicable
Transport hazard class: Not applicable
Packing group: Not applicable

IATA (Transport by air)

UN Number: Not classified as hazardous for transport
Proper shipping name or
Technical Name: Not applicable
Transport hazard class: Not applicable
Packing group: Not applicable

Environmental hazards for Transport Purposes:

Marine pollutant: No

Special precautions for user:

No data available

HAZCHEM or Emergency Action Code:

Not applicable

SECTION 15: Regulatory Information

New Zealand - Inventory of Chemicals (NZIoC)

Chemical Name	CAS Number	NZIoC
Glycerol, propoxylated	25791-96-2	HSNO Approval: HSR006700
Diethylene Glycol-phthalic Anhydride Polymer	32472-85-8	May be used as a component in a product covered by a group standard but it is not approved for use as a chemical in its own right
Diethylene glycol	111-46-6	HSNO Approval: HSR002709
Dipropylene Glycol	25265-71-8	HSNO Approval: HSR003052
Ethylene Glycol	107-21-1	HSNO Approval: HSR001534
2,4'- Diphenyl Diisocyanate	5873-54-1	May be used as a component in a product covered by a group standard but it is not approved for use as a chemical in its own right
2,2'-Diphenylmethane Diisocyanate	2536-05-2	May be used as a component in a product covered by a group standard but it is not approved for use as a chemical in its own right
4,4'-Diphenylmethane Diisocyanate	101-68-8	May be used as a component in a product covered by a group standard but it is not approved for use as a chemical in its own right

New Zealand - GHS Classifications - HSNO Chemical Classification Information Database (CCID)

Chemical Name	CAS Number	CCID
Glycerol, propoxylated	25791-96-2	6.4A (Approval number: HSR006700)
Diethylene Glycol-phthalic Anhydride Polymer	32472-85-8	None known
Diethylene glycol	111-46-6	6.1E oral, 6.9B oral (Approval number: HSR002709)
Dipropylene Glycol	25265-71-8	6.3B, 6.4A (>10% in a non hazardous diluent, Approval number: HSR006686); 6.3B, 6.4A (Approval number: HSR003052)
Ethylene Glycol	107-21-1	6.1D oral, 6.4A, 6.9A oral, 9.3C (Approval number: HSR001534); 6.4A, 6.9A oral (>10-25% in a non hazardous diluent, Approval number: HSR006383, listed under Ethylene glycol); 6.9B oral (>1-10% in a non hazardous diluent, Approval number: HSR006384, listed under Ethylene glycol); 6.1E oral, 6.4A, 6.9A oral, 9.3C (>34-83% in a non hazardous diluent, Approval number: HSR006385, listed under Ethylene glycol)
2,4'- Diphenyl Diisocyanate	5873-54-1	None known
2,2'-Diphenylmethane Diisocyanate	2536-05-2	None known

Chemical Name	CAS Number	CCID
4,4'-Diphenylmethane Diisocyanate	101-68-8	6.1B inhalation, 6.1E oral, 6.3A, 6.4A, 6.5A, 6.5B, 6.7B, 6.9A inhalation (Approval number: HSR003218); 6.1D inhalation, 6.3A, 6.4A, 6.5A, 6.5B, 6.7B, 6.9A inhalation (>7.4-37% in a non hazardous diluent, Approval number: HSR006535); 6.1C inhalation, 6.1E oral, 6.3A, 6.4A, 6.5A, 6.5B, 6.7B, 6.9A inhalation (>37% in a non hazardous diluent); 6.3B, 6.5A, 6.5B, 6.7B, 6.9B inhalation (>1-7.4% in a non hazardous diluent, Approval number: HSR006540)

SECTION 16: Other information

Revision Date: April 30th 2022

DISCLAIMER: This document has been prepared in accordance with the SDS requirements of the New Zealand GHS Regulations. To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.